

	Hits	Search Text	DBs
1	1049	remote\$2 with profil\$4 with (data\$1base\$1 or storage\$1 or repositor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	697	1 and @ad < "20030121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	77	2 and ((suppl\$4 or contribut\$4 or transfer\$4 or transmit\$4 or send\$4 or provid\$4 or deliver\$4 or furnish\$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	74	3 and access\$4 and ((suppl\$4 or contribut\$4 or transfer\$4 or transmit\$4 or send\$4 or provid\$4 or deliver\$4 or furnish\$4) with ((correct\$5 or true or updat\$4 or accurat\$4) with (information or data or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	2	4 and ((generat\$4 or form\$4 or structur\$4 or build\$4 or creat\$4) with updat\$4 with (request\$4 or inquir\$4 or quer\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	0	5 and ((generat\$4 or form\$4 or structur\$4 or build\$4 or creat\$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	71	4 and ((generat\$4 or form\$4 or structur\$4 or build\$4 or creat\$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	70	7 and ((generat\$4 or form\$4 or structur\$4 or build\$4 or creat\$4) with updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	70	8 and stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	70	9 and (local with profil\$4 with (data\$1base\$1 or storage\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	70	10 and ((local and remote) with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	0	11 and ((status\$2 or state\$1) near5 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	70	11 and (status\$2 or state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	70	13 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	14 and (proxy adj server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	14 and (proxy with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	0	14 and proxy and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	14 and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	0	19 and (detect\$4 with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	70	19 and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	0	21 and prox\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	171	2 and prox\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	39	2 and (prox\$5 with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	17	24 and ((local and remote) with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	17	25 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	8	26 and (detect\$4 with request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	8	28 and (status\$2 or state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	8	29 and (remote\$2 with profil\$4 with (data\$1base\$1 or storage\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	0	30 and ((suppl\$4 or contribut\$4 or transfer\$4 or transmit\$4 or send\$4 or provid\$4 or deliver\$4 or furnish\$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	7	30 and access\$4 and ((suppl\$4 or contribut\$4 or transfer\$4 or transmit\$4 or send\$4 or provid\$4 or deliver\$4 or furnish\$4) with ((correct\$5 or true or updat\$4 or accurat\$4) with (information or data or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	7	32 and ((generat\$4 or form\$4 or structur\$4 or build\$4 or creat\$4) with updat\$4 with (request\$4 or inquir\$4 or quer\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	34 and ((generat\$4 or form\$4 or structur\$4 or build\$4 or creat\$4) with ((dummy or incorrect or obfuscated or confused or disguised or complicated or false or inaccurate or wrong or erroneous) with (information or data or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	7	33 and ((transmit\$4 or transfer\$4) with service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	70	14 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	7	19 and profil\$4.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB